



EZ-Peel Removable Labels allow the user to remove or reposition the label without leaving a sticky residue. The durable polyester label easily conforms to radius surfaces and is ideal for reusable shipping containers, inventory shelving, work-in-process applications or any other applications where items are subject to repeat labeling. EZ-Peel Removable Labels can be printed in one or two of our standard colors and include a company logo or stylized type.

Also available with 2D bar codes including DataMatrix and QR Codes.

Features

Special adhesive allows user to remove label without leaving a messy residue
Flexible polypropylene material easily conforms to radius surfaces
Custom colors available at no additional charge

Product Print Options

Barcode . Data Matrix . QR Code . Serial Number . Text

Product Functionality

Abrasion Resistance . Chemical Resistance . Heat Resistance

Popular Applications

Calibration . Inventory . Shipping containers . Work-in-process

Category

Plastic Asset Tags

Specifications Data

Material	.002" thick polypropylene
Bar Code & Serialization	Bar code and human-readable equivalent is digitally printed – providing excellent clarity and easy scanning. Code 39 is the standard symbology with a range of 2.7 to 9.4 CPI (characters per inch). Optional linear and 2D symbologies available. Although this product is primarily marketed as a bar code product, we can produce it with human-readable numbers only or unserialized.
Label Copy	The label copy may include block type, stylized type, logos or other designs. All copy, block type, stylized type, logos, designs, and bar code are subsurface printed.
Colors	Standard colors include black, red, yellow, green, dark blue, purple, orange or blue. Custom spot colors are also available at no additional charge. Due to contrast needed for the bar code scanner, all bar codes are black.
Standard Adhesive	.001" thick removable/repositionable adhesive that provides good bonding to metal, wood, most plastics and painted surfaces
Sizes	2" x .75"; 1.75" x .875"; 2.75" x 1.25"
Packaging	Shipped on convenient rolls with scrap matrix removed for ease of removal. Cartons are clearly marked to indicate serial numbers of labels.
Shipment	6 business days

Chemical Testing

Chemical Soak Test: This rating measures the effect on various labels after being exposed to chemicals listed below for a 24 hour soak.

Chemical Test Data

Test Conditions	Rating
Water	no effect
Glass Cleaner	no effect
Bathroom Cleaner	no effect
Alcohol	no effect
Acetone	delaminated
Sodium Hydroxide	no effect
Nitric Acid	no effect
Hydrochloric Acid	no effect
Brake fluid	no effect

Temperature Testing

Heat Test: Adequate ratio for bar code scanning and removability with intermittent heat exposure to 250°. Not repositionable when heated above 100°F.