



Do you have an asset tracking application where you can't affix a label directly to an asset? What about an asset tracking application where the label would need to be applied in an environment where the temperature is too cold for the adhesive to perform properly? Metalcraft's Bar Code Hang Tag is ideal for these types of applications.

A removable, reusable solution for a variety of applications, our Bar Code Hang Tag may be used for cold storage, asset control, personnel identification, logistics, work-in-progress, warehousing applications and more. The tag is a thick, clear .003" polyester construction laminated to .010" white polyester, which keeps the profile of the tag relatively thin, yet offers excellent rigidity and resistance to bending and tearing. With the open tab the tag does not need to be permanently affixed to assets and can be easily attached with plastic strips.

Subsurface printing protects the label copy, logo and/or bar code information from moderate solvents and caustics/acids while four-color processing and double-sided registered options allow you to promote your company with a label that shows off your company name or logo.

Metalcraft's digital printing process ensures even the most detailed logo will look crisp and clean.

Features

Construction doesn't require tag to be affixed directly to the asset
Made of durable polyester material
Digital printing process provides for greater print capability with detailed logos or special designs
Thin profile, but rigid construction resists bending and tearing
Double-sided registered option available

Product Print Options

Barcode . Data Matrix . QR Code .
Serial Number . Text

Product Functionality

Abrasion Resistance . Chemical Resistance . Heat Resistance .
UV/Outdoor Durability

Popular Applications

Inventory . Utilities . Warehouse /
Distribution Centers . Manufacturing

Category

Asset Tag . Plastic Asset Tags

Specifications Data

Material	Polyester
Bar Code & Serialization	Bar code and human-readable equivalent is produced using the latest high-resolution digital technology available, which provides excellent clarity and easy scanning. Code 39 is the standard symbology with a range of 2.7 to 9.4 CPI (characters per inch). Optional symbologies include 128, I 2 of 5, 2D DataMatrix and QR Code.
Label Copy	The label copy may include block type, stylized type, logos or other designs. All copy, block type, stylized type, logos, designs, and bar code are subsurface printed. This unique process provides excellent resistance to solvents, caustics, acids and moderate abrasion.
Colors	Standard colors include black, red, yellow, blue, green, orange, purple, dark blue. Custom spot colors are also available at no additional charge. Due to contrast needed for the bar code scanner, all bar codes are black.
Standard Adhesive	Hanging tag
Sizes	4.75" x 1.75"; 2" x 1.5"
Holes	Various sizes available
Packaging	Shipped in "work-out-of" cartons for convenient application.
Shipment	6 business days

Chemical Testing

These tests were conducted for a limited period of time in strict laboratory conditions. In order to achieve maximum satisfaction we highly recommend that any customer considering use of this product test the labels in the environment in which they will be used.

Chemical Test Data

Chemical soak test results

Length of immersion	Water	Glass cleaner	Bathroom Cleaner pH 10.0	Isop. alcohol 99%	Acetone 100%	NaOH pH 12.0	HCl	Brake Fluid	Diesel fuel
2 hours	no effect	no effect	no effect	slight adhesive ooze	some adhesive ooze	no effect	no effect	no effect	no effect
24 hours	no effect	no effect	no effect	edges loosened	severe delamination	no effect	no effect	no effect	no effect