

Metalcraft's Key Fobs are the ideal solution for personnel applications where the tag can be secured to a key chain.

This product works well in conjunction with our other Access Control products, i.e. Windshield Tags or Lanyard Badges, for a complete Access Control solution.

These tags perform even better than they look. Made from a variety of durable, permanent materials, the actual construction of the tag protects the tag by sealing it within the layers of durable material.

Features	Subsurface digital printing process ensures crisp details on even the most complex logos for maximum clarity Durable permanent materials, no paper layers Thinner profile, not bulky as thicker options commonly used Two-sided printing available – both constant and variable	
Product Print Options	Barcode . Data Matrix . QR Code . Serial Number . Text	
Product Functionality	Abrasion Resistance . Chemical Resistance . Heat Resistance . UV/Outdoor Durability	
Popular Applications	Audio / Visual . Government . Restoration . Construction / Tool Tracking . Hospitals . Schools	
Category	Access Control . Plastic Labels . Plastic Hanging Tags	





Specifications Data

Material	Polyester	
Bar Code & Serialization	Barcode and human-readable equivalent is digitally printed – providing excellent clarity and easy scanning. Code 39 is the standard symbology with a range of 2.7 to 9.4 CPI (characters per inch). Optional linear and 2D symbologies available. Although this product is primarily marketed as a bar code product, we can produce it with human-readable numbers only or unserialized.	
Label Copy	The label copy may include block type, stylized type, logos or other designs	
Colors	Standard colors include black, red, yellow, green or blue. Custom spot colors are also available at no additional charge. Due to contrast needed for the bar code scanner, all bar codes are black.	
Standard Adhesive	Hanging tag	
Sizes	2.75" x 1"	
Holes	5/16"	
Packaging	Shipped in convenient cartons	
Shipment	6 business days	

Chemical Testing

Chemical Soak Test Results (24 hours): Test of label structure and printed image. Chemical Test Data

Test conditions	Result
Water	no effect
Glass cleaner	no effect
Bathroom cleaner	no effect
Alcohol	no effect
Acetone	Delaminated
NaOH	no effect
Nitric Acid	no effect





Destructive Testing

Destructive Test Data

Temperature Testing

Temperature Test Data

Read Range Testing

Read Range Test Data

Barcode Readibility Testing

Barcode Readability Test Data





Abrasion Testing

Abrasion Test Data

Label Adhesion Testing

Label Adhesion Test Data

Pull Testing

Pull Test Data



