
Tamper Evident Barcode Labels



Discourage theft and keep your property intact with Metalcraft's Tamper-Evident Barcode Labels.

If someone attempts to remove the label, the word "VOID" is left behind on the surface of the asset and the back of the label. Add a barcode and/or human readable number to the label and use it as part of an overall asset tracking system.

Use these labels to make a statement about your company or school by displaying a logo or stylized type in any of our standard colors – or select a custom color at no additional charge. Subsurface printing provides an extra layer of protection for logos, copy and barcode against solvents, caustics/acids and mild abrasion. This unique process eliminates the need for a laminate thereby eliminating the additional cost as well as the possibility of delamination.

Potential Applications for Tamper Evident Barcode Labels

Asset Tracking – the barcode and human readable ID number on Tamper-Evident

Features	Clear visual indication the product has been opened or tampered with Custom printing to display any type of messaging Boosts customer confidence in product integrity Discourages product modification and theft	
Product Print Options	Barcode . Data Matrix . QR Code . Serial Number . Text	
Product Functionality	Chemical Resistance	
Popular Applications	Government . Schools	
Category	Information Technology . Education . Asset Tracking . Plastic Barcode Labels . Security/Specialty Labels	

Barcode Labels can be used to track information about the asset the label is adhered to, i.e., laptops, furniture, containers, pallets, equipment and more.

Specifications Data

Tamper evident product information

Material	.002" tamper-evident polyester	
Bar Code & Serialization	Serialized/unserialized numbers, bar code with human readable numbers	
Label Copy	The label copy may include block type, stylized type, logos or other designs	
Colors	Standard colors include black, red, yellow, green, dark blue, purple, orange or blue. Custom spot colors are also available at no additional charge. Due to contrast needed for the bar code scanner, all bar codes are black.	
Standard Adhesive	Permanent pressure-sensitive adhesive	
Sizes	2" x1"; 2" x .625"; 1.25" x 0.5"; 1.5" x 0.75"; 2" x .75"; 1.75" x 0.5"	
Packaging	Shipped on convenient rolls with scrap matrix removed for ease of removal. Cartons are clearly marked to indicate serial numbers of labels.	
Shipment	11 business days	

Chemical Testing

This rating measures effect on labels after being exposed to chemicals listed below for a 2 hour soak and a 48 hour soak.

Chemical Test Data

Test Conditions	2-hour soak	48-hour soak
Water	No effect	No effect
Glass Cleaner	No effect	No effect
Bathroom Cleaner	No effect	No effect
Alcohol	No effect	No effect
Acetone	No effect	No effect
Sodium Hydroxide	No effect	No effect
Nitric Acid	No effect	No effect

Destructive Testing

Destructive Test Data

Temperature Testing

Tamper-Evident Labels are able to withstand intermittent heat exposure to 200°F and still leave the "VOID" pattern upon removal after label is allowed to cool to room temperature. Temperature Test Data

Read Range Testing

Read Range Test Data

Barcode Readibility Testing

Barcode Readability Test Data

Tamper Evident Barcode Labels

Abrasion Testing

Abrasion Test Data

Label Adhesion Testing

Label Adhesion Test Data

Pull Testing

Pull Test Data