


Tamper Evident Labels



Discourage theft and keep your property in tact with Metalcraft's Tamper-Evident Labels.

If someone attempts to remove the label, the word "VOID" is left behind on the surface of the asset and the back of the label.

Add a bar code and/or human readable number to the label and use it as part of an overall asset tracking system.

Digital printing ensures even the most detailed logo will look crisp and clean while subsurface printing protects the logos, copy and bar code against solvents, caustics and mild abrasion.

Now available with 2D bar codes including DataMatrix and QR Codes.

Features

Discourages theft

Product Print Options

Barcode . Data Matrix . QR Code .
Serial Number . Text

Product Functionality

Chemical Resistance

Popular Applications

Government . Schools

Specifications Data

Tamper evident product information

Material	.002" tamper-evident polyester
Bar Code & Serialization	Serialized/unserialized numbers, bar code with human readable numbers
Label Copy	The label copy may include block type, stylized type, logos or other designs
Colors	Standard colors include black, red, yellow, green, dark blue, purple, orange or blue. Custom spot colors are also available at no additional charge. Due to contrast needed for the bar code scanner, all bar codes are black.
Standard Adhesive	Permanent pressure-sensitive adhesive
Sizes	2" x1"; 2" x .625"; 1.25" x 0.5"; 1.5" x 0.75"; 2" x .75"; 1.75" x 0.5"
Packaging	Shipped on convenient rolls with scrap matrix removed for ease of removal. Cartons are clearly marked to indicate serial numbers of labels.
Shipment	6 business days

Chemical Testing

This rating measures effect on labels after being exposed to chemicals listed below for a 2 hour soak and a 48 hour soak.

Chemical Test Data

Test Conditions	2-hour soak	48-hour soak
Water	No effect	No effect
Glass Cleaner	No effect	No effect
Bathroom Cleaner	No effect	No effect
Alcohol	No effect	No effect
Acetone	No effect	No effect
Sodium Hydroxide	No effect	No effect
Nitric Acid	No effect	No effect

Temperature Testing

Tamper-Evident Labels are able to withstand intermittent heat exposure to 200°F and still leave the “VOID” pattern upon removal after label is allowed to cool to room temperature.