

Discourage theft and keep your property intact with Metalcraft's Tamper-Evident Barcode Labels.

If someone attempts to remove the label, the word "VOID" is left behind on the surface of the asset and the back of the label. Add a barcode and/or human readable number to the label and use it as part of an overall asset tracking system.

Use these labels to make a statement about your company or school by displaying a logo or stylized type in any of our standard colors or select a custom color at no additional charge. Subsurface printing provides an extra layer of protection for logos, copy and barcode against solvents, caustics/acids and mild abrasion. This unique process eliminates the need for a laminate thereby eliminating the additional cost as well as the possibility of delamination.

Barcode Labels

readable ID number on Tamper-Evident

Features

Clear visual indication the product has been opened or tampered with Custom printing to display any type of messaging

Boosts customer confidence in product integrity

Discourages product modification and theft

Product Print Options

Barcode . Data Matrix . QR Code . Serial

Number . Text

Product Functionality

Chemical Resistance

Popular Applications

Government . Schools

Category

Information Technology . Education . Asset Tracking . Plastic Barcode Labels . Security/Specialty Labels

Potential Applications for Tamper Evident

Asset Tracking – the barcode and human





Barcode Labels can be used to track information about the asset the label is adhered to, i.e., laptops, furniture, containers, pallets, equipment and more.

Specifications Data

Tamper evident product information

Material	.002" tamper-evident polyester
Bar Code & Serialization	Serialized/unserialized numbers, bar code with human readable numbers
Label Copy	The label copy may include block type, stylized type, logos or other designs
Colors	Standard colors include black, red, yellow, green, dark blue, purple, orange or blue. Custom spot colors are also available at no additional charge. Due to contrast needed for the bar code scanner, all bar codes are black.
Standard Adhesive	Permanent pressure-sensitive adhesive
Sizes	2" x1"; 2" x .625"; 1.25" x 0.5"; 1.5" x 0.75"; 2" x .75"; 1.75" x 0.5"
Packaging	Shipped on convenient rolls with scrap matrix removed for ease of removal. Cartons are clearly marked to indicate serial numbers of labels.
Shipment	11 business days

Chemical Testing

This rating measures effect on labels after being exposed to chemicals listed below for a 2 hour soak and a 48 hour soak.

Chemical Test Data

Test Conditions	2-hour soak	48-hour soak
Water	No effect	No effect
Glass Cleaner	No effect	No effect
Bathroom Cleaner	No effect	No effect
Alcohol	No effect	No effect
Acetone	No effect	No effect
Sodium Hydroxide	No effect	No effect
Nitric Acid	No effect	No effect





Destructive Testing			
Destructive Test Data			
Temperature Testing			
Tamper-Evident Labels are able to withstand intermittent heat exposure to 200°F and still leave the "VOID" pattern upon removal after label is allowed to cool to room temperature. Temperature Test Data			
Read Range Testing			
Read Range Test Data			
Barcode Readibility Testing			
Barcode Readability Test Data			
Dai oodo readdamity Tool Daid			





Abrasion Testing			
Abrasion Test Data			
Label Adhesion Testing			
Label Adhesion Test Data			
Pull Testing			
Pull Test Data			



